European Journal of Pharmacology, 178 (1990) 381–384
Elsevier

Author index

Abbracchio, M.P., see Daffonchio, L. (178) 21
Advenier, C., see Dion, S. (178) 215
Aghajanian, G.K., see Sprouse, J.S. (178) 313
Ahn, D., see Hunt, J.M. (178) 259
Aihara, H., see Isobe, Y. (178) 343
Akera, T., see Tona, L. (178) 293
Alvarado, R., see Fragoso-Veloz, J. (178) 275
Amadeo, L., see Daffonchio, L. (178) 21
Anderson, E.G., see Scroggs, R.S. (178) 229
Awouters, F.H.L., see Megens, A.A.H.P. (17) 357
Axton, M.S., see Moore, N.A. (178) 195

Bagetta, G. and Constanti, A.
Muscarinic suppression of the evoked N-wave by oxotremorine-M recorded in the guinea-pig olfactory cortex slice (178) 91
Battistini, B., Filep, J. and Sirois, P.
Potent thromboxane-mediated in vitro bronchoconstrictor effect of endothelin in the guinea-pig (178) 141
Bayer, B.M., see Seng, G.F. (178) 267
Beckeringh, J.J., see Hugtenburg, J.G. (178) 71
Bédard, P.J., see Gagnon, C. (178) 115
Beer, M., Kennett, G.A. and Curzon, G.
A single dose of 8-OH-DPAT reduces raphe binding of [^{3}H]8-OH-DPAT and increases the effect of raphe stimulation on 5-HT metabolism (178) 179
Benensohn, J., see Seng, G.F. (178) 267
Bevan, J.A., see Oriowo, M.A. (178) 243
Bolden, C., see McKinney, M. (178) 139
Bönner, G., see Hoffmann, G. (17) 79
Bonnet, J.-J., see Vaugeois, J.-M. (178) 221
Bradberry, C.W., see Sprouse, J.S. (178) 313
Branch, R.A., see Kuan, C.-J. (178) 285
Brasch, H., see Kaschube, M. (178) 151
Brett, R.R. and Pratt, J.A.
Chronic handling modifies the anxiolytic effect of diazepam in the elevated plus-maze (178) 135
Brody, T.M., see Tona, L. (178) 293
Burke, J.A., see Crosson, C.E. (178) 351

Canters, L.L.J., see Megens, A.A.H.P. (17) 357
Cattabeni, F., see Daffonchio, L. (178) 21
Cervo, L., Grignaschi, G. and Samanin, R.
The role of the mesolimbic dopaminergic system in the desipramine effect in the forced swimming test (178) 129
Chan, M.F., see Crosson, C.E. (178) 351
Chapman, A.G., Graham, J. and Meldrum, B.S.
Potent oral anticonvulsant action of CPP and CPPene in DBA/2 mice (178) 97
Coenen, A.M.L., see Peeters, B.W.M.M. (178) 111
Constanti, A., see Bagetta, G. (178) 91
Costentin, J., see Vaugeois, J.-M. (178) 221
Crosson, C.E., Burke, J.A., Chan, M.F. and Potter, D.E.
Prejunctional adrenoceptor activity of N-0437: a relatively selective DA_2 dopamine receptor agonist (178) 351
Currie, M.G., see Lanier-Smith, K.L. (178) 105
Curzon, G., see Beer, M. (178) 179

Daffonchio, L., Abbracchio, M.P., Di Luca, M., Hernandez, A., Amadeo, L., Cattabeni, F. and Omini, C.
β-Adrenoceptor desensitization induced by antigen challenge in guinea-pig trachea (178) 21
Daniel, E.E., see Manning, P.J. (178) 85
Dauphin, F. and Hamel, E.
Muscarinic receptor subtype mediating vasodilation in feline middle cerebral artery exhibits M_3 pharmacology (178) 203
De Beltrán, K.K., see Koshikawa, N. (178) 189
Diener, M. and Rummel, W.
Distension-induced secretion in the rat colon: mediation by prostaglandins and submucosal neurons (178) 47
Di Luca, M., see Daffonchio, L. (178) 21
Dion, S., Rouissi, N., Nantel, F., Drapeau, G., Regoli, D., Naline, E. and Advenier, C.
Receptors for neurokinins in human bronchus and urinary bladder are of the NK-2 type (178) 215
Di Paolo, T., see Gagnon, C. (178) 115
Drapeau, G., see Dion, S. (178) 215
Düsing, R., see Hoffmann, G. (17) 79
Dyer, D.C., see Isla, M. (178) 321

Farhat, M., see Thomas, G. (178) 251
Filep, J., see Battistini, B. (178) 141
Flavahan, N.A. and Vanhoutte, P.M.
Pertussis toxin inhibits endothelium-dependent relaxations evoked by fluoride (178) 121
Fragoso-Veloz, J., Massieu, L., Alvarado, R. and Tapia, R.
Seizures and wet-dog shakes induced by 4-aminopyridine, and their potentiation by nifedipine (178) 275
Fukagawa, Y., see Suzuki, T. (178) 239

Gagnon, C., Bédard, P.J. and Di Paolo, T.
Effect of chronic treatment of MPTP monkeys with dopamine D-1 and/or D-2 receptor agonists (178) 115
Gainullin, R., see Saxon, M. (178) 37
Göbel, B.O., see Hoffmann, G. (17) 79
Graham, J., see Chapman, A.G. (178) 97
Grignaschi, G., see Cervo, L. (178) 129

0014-2999/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Haga, T., see Kajimura, M. (178) 59
Hamel, E., see Dauphin, F. (178) 203
Harsing, L.G., see Zelles, T. (178) 101
Hendriks, M.G.C., see Hugtenburg, J.G. (178) 71
Hernandez, A., see Daffonchio, L. (178) 21
Hiragun, A., see Oikawa, T. (178) 247
Hirotani, K., see Oikawa, T. (178) 247
Hirsh, J.K., see Hunt, J.M. (178) 259
Ho, B.Y. and Takemori, A.E.
Attenuation of the antinociceptive action of the selective κ-opioid receptor agonist, U-50,488H by ICS-205-930 (178) 371
Hoffmann, G., Pietsch, R., Göbel, B.O., Weisser, B., Bönner, G., Vetter, H. and Düsing, R.
Converting enzyme inhibition and vascular prostacyclin synthesis: effect of kinin receptor antagonism (17) 79
Höglund, A.U., see Johansson, C.E. (178) 1
Honda, N., see Kajimura, M. (178) 59
Hugtenburg, J.G., Van Voorst, M.J.D., Van Marle, J., Mathy, M.-J., Beckeringh, J.J., Van Veen, H.A., Hendriks, M.G.C. and Van Zwieten, P.A.
The influence of nifedipine and mioflazine on mitochondrial calcium overload in normoxic and ischaemic guinea-pig hearts (178) 71
Hunt, J.M., Silinsky, E.M., Hirsh, J.K., Ahn, D. and Solsona, C.
The effects of TMB-8 on acetylcholine release from frog motor nerve: interactions with adenosine (178) 259

Ichiyama, A., see Kajimura, M. (178) 59
Inukai, T., see Mitsui, M. (178) 171
Isla, M. and Dyer, D.C.
Characterization of α-adrenoceptors in the late pregnant ovine uterine artery (178) 321
Isobe, Y., Muramatsu, M., Aihara, H. and Otomo, S.
H_2-receptor antagonism by a novel compound IT-066 assessed from [^{14}C]aminopyrine accumulation in rabbit parietal cells (178) 343
Ito, S., see Ohta, T. (178) 11
Itoh, J., see Nabeshima, T. (178) 143
Iwaguchi, T., see Oikawa, T. (178) 247

Jackson, E.K., see Kuan, C.-J. (178) 285
Johansson, C.E., Meyerson, B.J. and Höglund, A.U.
The long-term effects of 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT) on copulatory and exploratory behaviour in male rats (178) 1
Johnson, A., see McKinney, M. (178) 139
Jones, G.L., see Manning, P.J. (178) 85

Kajimura, M., Haga, T., Ichiyama, A., Kaneko, E. and Honda, N.
Carbachol-induced potentiation and inhibition of acid secretion by guinea pig gastric gland (178) 59
Kameyama, T., see Nabeshima, T. (178) 143
Kaneko, E., see Kajimura, M. (178) 59
Karaki, H., see Mitsui, M. (178) 171
Kaschube, M. and Brasch, H.
Pre- and postjunctional effects of N-ethylmaleimide in the isolated mouse vas deferens (178) 151
Katayama, T., see Oikawa, T. (178) 247
Kennett, G.A., see Beer, M. (178) 179
Kobayashi, M., see Koshikawa, N. (178) 189
Kobayashi, M., see Koshikawa, N. (178) 233
Kohda, A., see Sugawa, M. (178) 255
Koide, T., see Sugawa, M. (178) 255
Koshikawa, F., see Koshikawa, N. (178) 365
Koshikawa, N., Koshikawa, F. and Stephenson, J.D.
Further evidence for an anomalous regulation of cortical 5-HT_2 receptors: studies with 5-HT precursors (178) 365
Koshikawa, N., Mori, E., Maruyama, Y., Yatsushige, N. and Kobayashi, M.
Role of dopamine D-1 and D-2 receptors in the ventral striatum in the turning behaviour of rats (178) 233
Koshikawa, N., Tomiyama, K., Omiya, K., De Beltrán, K.K. and Kobayashi, M.
Dopamine D-1 but not D-2 receptor stimulation of the dorsal striatum potentiates apomorphine-induced jaw movements in rats (178) 189
Kuan, C.-J., Branch, R.A. and Jackson, E.K.
Effect of an adenosine receptor antagonist on acute amphotericin B nephrotoxicity (178) 285
Kuno, S., see Mizuta, E. (178) 125

Lambrecht, G., see Verspohl, E.J. (178) 303
Lanier-Smith, K.L. and Currie, M.G.
Effect of glucocorticoids on the binding of atrial natriuretic peptide to endothelial cells (178) 105

Manning, P.J., Jones, G.L., Otis, J., Daniel, E.E. and O'Byrne, P.M.
The inhibitory influence of tracheal mucosa mounted in close proximity to canine trachealis (178) 85
Maruyama, Y., see Koshikawa, N. (178) 233
Massieu, L., see Fragoso-Veloz, J. (178) 275
Mathy, M.-J., see Hugtenburg, J.G. (178) 71
McKinney, M., Bolden, C., Smith, C., Johnson, A. and Richelson, E.
Selective blockade of receptor-mediated cyclic GMP formation in NIE-115 neuroblastoma cells by an inhibitor of nitric oxide synthesis (178) 139
Megens, A.A.H.P., Canters, L.L.J., Awouters, F.H.L. and Niemegeers, C.J.E.
Normalization of small intestinal propulsion with loperamide-like antidiarrheals in rats (17) 357
Meldrum, B.S., see Chapman, A.G. (178) 97
Meyerson, B.J., see Johansson, C.E. (178) 1
Misawa, M., see Suzuki, T. (178) 239
Mitsui, M., Nakao, K., Inukai, T. and Karaki, H.
Inhibitory effects of cadralazine and its metabolite, ISF-2405, on contractions and the level of cytosolic Ca^{2+} in vascular smooth muscle (178) 171
Mizuta, E., Yamaguchi, M. and Kuno, S.
Behavioural effects of 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT) in monkeys (178) 125

Moore, N.A. and Axton, M.S.
The role of multiple dopamine receptors in apomorphine and N-n-propylnorapomorphine-induced climbing and hypothermia (178) 195
Mori, E., see Koshikawa, N. (178) 233
Muramatsu, M., see Isobe, Y. (178) 343
Mutschler, E., see Verspohl, E.J. (178) 303
Myers, A.K., see Thomas, G. (178) 251

Nabeshima, T., Noda, Y., Tohyama, K., Itoh, J. and Kameyama, T.
Effects of DM-9384 in a model of amnesia based on animals with GABAergic neuronal dysfunctions (178) 143
Nakamura, O., see Oikawa, T. (178) 247
Nakao, K., see Mitsui, M. (178) 171
Nalepa, I. and Vetulani, J.
β Down-regulation induced by repeated vasopressin treatment (178) 375
Naline, E., see Dion, S. (178) 215
Nantel, F., see Dion, S. (178) 215
Ng, Y.-C., see Tona, L. (178) 293
Niemegeers, C.J.E., see Megens, A.A.H.P. (17) 357
Noda, Y., see Nabeshima, T. (178) 143
Novales-Li, P., Sun, X.P. and Takeuchi, H.
Comparative study of d-diltiazem and its analogues as calcium antagonists in snail neurones (178) 161
Nutt, D.J., see Peeters, B.W.M.M. (178) 111

O'Byrne, P.M., see Manning, P.J. (178) 85
Ogasawara, H., see Oikawa, T. (178) 247
Ohga, A., see Ohta, T. (178) 11
Ohta, T., Ito, S. and Ohga, A.
Inhibitory action of dantrolene on Ca-induced Ca^{2+} release from sarcoplasmic reticulum in guinea pig skeletal muscle (178) 11
Oikawa, T., Hirotani, K., Ogasawara, H., Katayama, T., Nakamura, O., Iwaguchi, T. and Hiragun, A.
Inhibition of angiogenesis by vitamin D_3 analogues (178) 247
Omini, C., see Daffonchio, L. (178) 21
Omiya, K., see Koshikawa, N. (178) 189
Oriowo, M.A. and Bevan, J.A.
Chloroethylclonidine unmasks a non-α-adrenoceptor noradrenaline binding site in the rat aorta (178) 243
Otis, J., see Manning, P.J. (178) 85
Otomo, S., see Isobe, Y. (178) 343

Peeters, B.W.M.M., Van Rijn, C.M., Nutt, D.J., Titulaer, M.N.G., Vossen, J.M.H. and Coenen, A.M.L.
Diazepam and Ro 15-1788 increase absence epilepsy in WAG/Rij rats chronically exposed to diazepam (178) 111
Petersen, K.-U., see Wehner, F. (178) 333
Pietsch, R., see Hoffmann, G. (17) 79
Potter, D.E., see Crosson, C.E. (178) 351
Pratt, J.A., see Brett, R.R. (178) 135

Ramwell, P.W., see Thomas, G. (178) 251
Regoli, D., see Dion, S. (178) 215
Richelson, E., see McKinney, M. (178) 139
Roth, R.H., see Sprouse, J.S. (178) 313
Rouissi, N., see Dion, S. (178) 215
Rummel, W., see Diener, M. (178) 47

Samanin, R., see Cervo, L. (178) 129
Saxon, M. and Gainullin, R.
Two subtypes of dihydropyridine-sensitive calcium channels in rat ventricular muscle (178) 37
Scroggs, R.S. and Anderson, E.G.
5-HT_1 receptor agonists reduce the Ca^+ component of sensory neuron action potentials (178) 229
Seng, G.F., Benensohn, J. and Bayer, B.M.
Changes in T and B lymphocyte proliferative responses in adjuvant-arthritic rats: antagonism by indomethacin (178) 267
Silinsky, E.M., see Hunt, J.M. (178) 259
Sirois, P., see Battistini, B. (178) 141
Slangen, J.L., see Woudenberg, F. (178) 29
Smith, C., see McKinney, M. (178) 139
Solsona, C., see Hunt, J.M. (178) 259
Sprouse, J.S., Bradberry, C.W., Roth, R.H. and Aghajanian, G.K.
3,4-Methylenedioxymethamphetamine-induced release of serotonin and inhibition of dorsal raphe cell firing: potentiation by L-tryptophan (178) 313
Stephenson, J.D., see Koshikawa, N. (178) 365
Sugawa, M., Koide, T., Kohda, A. and Takato, M.
A novel dibenzoxazepine derivative (BY-1949) increases regional cerebral blood flow (178) 255
Sun, X.P., see Novales-Li, P. (178) 161
Suzuki, T., Fukagawa, Y. and Misawa, M.
Enhancement of morphine withdrawal signs in the rat after chronic treatment with naloxone (178) 239

Tacke, R., see Verspohl, E.J. (178) 303
Takato, M., see Sugawa, M. (178) 255
Takemori, A.E., see Ho, B.Y. (178) 371
Takeuchi, H., see Novales-Li, P. (178) 161
Tapia, R., see Fragoso-Veloz, J. (178) 275
Thomas, G., Farhat, M., Myers, A.K. and Ramwell, P.W.
Effect of Nα-benzoyl-L-arginine ethyl ester on coronary perfusion pressure in isolated guinea pig heart (178) 251
Titulaer, M.N.G., see Peeters, B.W.M.M. (178) 111
Tohyama, K., see Nabeshima, T. (178) 143
Tomiyama, K., see Koshikawa, N. (178) 189
Tona, L., Ng, Y.-C., Akera, T. and Brody, T.M.
Depressant effects of chloroquine on the isolated guinea-pig heart (178) 293

Vanhoutte, P.M., see Flavahan, N.A. (178) 121
Van Marle, J., see Hugtenburg, J.G. (178) 71
Van Rijn, C.M., see Peeters, B.W.M.M. (178) 111
Van Veen, H.A., see Hugtenburg, J.G. (178) 71
Van Voorst, M.J.D., see Hugtenburg, J.G. (178) 71
Van Zwieten, P.A., see Hugtenburg, J.G. (178) 71

Vaugeois, J.-M., Bonnet, J.-J. and Costentin, J.
Relationship between the effects of dexamphetamine on locomotion and on striatal [^{3}H]GBR 12783 binding in vivo (178) 221
Verspohl, E.J., Tacke, R., Mutschler, E. and Lambrecht, G.
Muscarinic receptor subtypes in rat pancreatic islets: binding and functional studies (178) 303
Vetter, H., see Hoffmann, G. (17) 79
Vetulani, J., see Nalepa, I. (178) 375
Vizi, E.S., see Zelles, T. (178) 101
Vossen, J.M.H., see Peeters, B.W.M.M. (178) 111

Wehner, F., Winterhager, J.M. and Petersen, K.-U.
Naloxone-insensitive transport effects of loperamide in guinea-pig gallbladder epithelium (178) 333
Weisser, B., see Hoffmann, G. (17) 79
Winterhager, J.M., see Wehner, F. (178) 333
Woudenberg, F. and Slangen, J.L.
Characterisation of the discriminative stimulus properties of flumazenil (178) 29

Yamaguchi, M., see Mizuta, E. (178) 125
Yatsushige, N., see Koshikawa, N. (178) 233

Zelles, T., Harsing, L.G. and Vizi, E.S.
Characterization of neuronal cholecystokinin receptor by L-364,718 in Auerbach's plexus (178) 101